



In a world obsessed with doing more, we invite you to

# **UNDO**®

Now more than ever, we need to take care of ourselves and NOT DO anything from time to time.

It transforms how we feel and how we feel about our world.

Not doing never felt so good.

# Innovation born out of love


When Ken Jacuzzi, age 2, was diagnosed with rheumatoid arthritis, his father invented the world's first at-home pump to provide pain-relieving hydromassage. From that moment forward, Jacuzzi has introduced the power of hot, bubbly water into millions of homes around the world.












Behind this extraordinary pause is the Jacuzzi<sup>®</sup> hydromassage, a distinctive and unrivaled experience. Heat, buoyancy and optimal massage all come together for your relaxation, joy and well-being.



# Designed to fit you

By studying human dimensions, we design hot tubs based on the average proportions of 90% of the population, ensuring your hot tub conforms to you. Our seats are sculpted with an ergonomic focus to cradle the contours of the body. Specialized Jacuzzi® PowerPro® Jets – recessed for your complete comfort – are thoughtfully positioned to effectively target key muscles.




Aqualibrium<sup>®</sup> is the perfect balance of air and water. Jacuzzi<sup>®</sup> jets are developed with an emphasis on a 360-degree air induction to provide a unique high-volume, low-pressure massage. It has the power to bring deeper, more intense massage in a gentle way.



# You do you

We realize everyone likes their massage a little different. A Jacuzzi® hot tub lets you pinpoint the intensity of every touchpoint. The strategically placed jets target specific muscle groups, while a customizable flow and feel at each jet puts complete control at your fingertips. Individual seat air control lets you dial the air and water power up or down, delivering the right massage pressure for your needs.

Different muscle groups demand different types of massage action. Versatile Jacuzzi® PowerPro® Jets deliver a range of massages, from robust and stimulating to gentle and rejuvenating, for targeted relief anywhere you need it.




#### MX

The original performance therapy jet that started it all

Completely adjustable nozzle with a 60-degree range of focus

Produces bold high volume massage action



# FΧ

Exclusive spiral design focuses on smaller muscle groups

Stimulates pressure points in the shoulders, back and feet

Spiral flow drives energetic impact




#### PX

Provides relief to pressure points on the hands

Gently pulses on palms and wrists

Can soothe discomfort in the hands and wrists




# RX

A powerful steady pulse against large portions of the back

Focuses on middle and upper back muscle tension relief

Full coverage massage




#### ΚN

Highly focused stream of water targeting the neck

Massages tension and strain in the sensitive neck area

Personalize the massage direction by moving the nozzle




#### ВХ

Highest air to water ratio in our collection

Patented design developed to reinvigorate leg muscles

\_



#### Please, be seated

Decades of expertise drive the Jacuzzi® hot tub design process to deliver personalized comfort. The collection of seats in every Jacuzzi® hot tub facilitates full-body hydromassage while balancing the flow to each seat for the best experience.

Seats are complemented by jets on the calves and in the foot dome to lift the weight of the day. Smooth surfaces and soft sculpting make it easy to move freely to enjoy all of the seats. Every Jacuzzi® hot tub is expertly engineered to nurture your well-being to the core.



### MX Therapy Seat

#### The Original in Low-Back Relief

Ease into this deeply contoured seat to release tension in the lower back with a high-volume, low-pressure massage. Maximized air output delivers a soothing deep tissue massage. Paired with neck jets for a fully relaxing experience.



#### **FX Therapy Seat**

# Full Coverage Neck, Shoulder and Back Relief

A collection of 10 to 12 FX Jets deliver a stimulating, spiral-action deep tissue massage to relieve aches from the neck and shoulders through the entire back. Pressure is adjustable for a personalized massage. The J-300™ models feature the Hydrosoothe® neck-massaging pillow.



#### Foot Dome

#### **Overall Tension Relief**

A targeted reflexology massage increases energy, boosts circulation and stimulates nerve function throughout the body. This tension-relieving action induces a deep state of relaxation while keeping you in the perfect position.



#### **RX Therapy Seat**

#### Comforting Back and Shoulder Relief


A ring of spinning RX Jets targets key back and shoulder muscles, drawing on the highest performance hydromassage from the Jacuzzi® Brand to soothe stiff muscles and release tension. Neck jets complement the massage for extra relief.



#### ProAir™ Lounge

# Full-Body Relief

Designed to distribute body weight evenly for a comprehensive massage. The ProAir™ Lounge eases tension in the shoulders and back by combining FX and FX-R rotational jets along the center of the back. Exclusive BX Jets target the calves with an invigorating, bubbly massage and FX Jets penetrate the muscles of the feet with therapeutic relief.



# A new frontier in wellness

Jacuzzi is the first and only brand to offer Infrared and Red Light therapy across a range of wellness products, from saunas, to swim spas, to hot tubs. Premiering in the J-LX® Collection, the FX-IR Seat combines patented Infrared and Red Light therapy with hydromassage for unmatched rejuvenation.

The therapeutic benefits of hydrotherapy The rejuvenating power of Infrared The regenerative qualities of Red Light FX All working together deep beneath the skin's surface FX Skin Level FX-IR Therapy Seat

Rejuvenation Meets Relaxation The rejuvenating powers of Infrared and Red Light therapy work together deep beneath the skin's surface to relieve pain, improve range of motion, and reach a state of mindfulness.

# Effortless

Only Jacuzzi offers the joys and benefits of hydrotherapy, Infrared and Red Light therapy, effortlessly ready when you are.

#### Peace of Mind


Founded in research, you can be confident using IR and Red Light therapy to enhance your relaxation.

Hydromassage  Jet pressure delivers varied  massage through surface contact
Red Light Specialized deep red light reaches surface tissue and cells
Near Infrared Positioned to target deep tissue within the lumbar region of the lower back









# 5-Stage\*\* filtration process

Cleaner\* water means fewer water changes and less effort for you.

# Stages 1 and 2

The skimmer and unique mesh ProCatch® bag work together to clean the water surface and trap large debris for easy removal.

#### Stage 3

This exclusive system features a 60 sq ft ProClear® filter connected directly to a ProStream™ filtration pump that filters an incredible 35 gallons per minute, giving you clean water faster.

#### Stage 4

The ProClarity® polishing filter polishes the water down to a 3 micron level.

#### Stage 5

The second 60 sq ft ProClear® filter activates and cleans when you are using the hot tub. This doubles the filtration when you need it most.

### Clean\* water, less effort

We've combined ozone and UV-C technology to provide a hands-free approach to water care. CLEARRAY Active Oxygen® System works harder to clean\* the water longer. Ozonated water is exposed to a UV-C bulb to energize the molecules, unlocking Active Oxygen to clean\* more so you clean less.

UV-C technology is standard on all models

<sup>\*</sup>Clean is defined as the removal of microscopic (down to 3 micron level, varies by model) debris from the water.

The CLEARRAY® Active Oxygen® System utilizes various technologies to achieve cleanliness. One of them is ozone, which aids in the grouping of smaller debris to form larger clusters that can be more easily captured in the filtration process.

<sup>\*\*</sup>Stages of filtration may vary by collection.

# The serenity is in the details

We design spas that perform for years with minimal care. Durable, reliable and designed with you in mind, from the materials chosen to the performance you expect.

# ProFusion™ Shell

Highest quality acrylic, a bonded vapor barrier and a resin composite are layered together for ultimate durability, creating an inseparable bond that stands up to heat and cold.

#### Tool-Free Cabinetry

Fade-resistant, maintenance-free cabinetry withstands heat and cold and stays beautiful longer.

# High-Performance Energy-Saving Insulation

All Jacuzzi® hot tubs exceed the California Energy Commission standards for spa energy consumption. Our insulation completely surrounds the shell and fills the cabinet. This lowers operating costs, ensures quieter operation and is reliable in the coldest climates.

# Propolymer Base

A rugged protective barrier insulates the spa from the foundation. The durable ABS-formed foundation protects components from moisture and the elements while adding structural strength.



# Peace of mind from anywhere

Our patented, industry-first SmartTub® system provides remote monitoring and control through phones, smart devices, and Siri® and Alexa® wearables anywhere in the world.\* All with software updates and a cellular connection that's simpler and more reliable than Wi-Fi. Enjoyment made easy.

#### **Energy Savings**

Smart technology lets you optimize energy savings with industry-first Smart Heat Mode, which monitors, schedules, and adjusts energy usage. Automation reduces standby power by 25%.

#### Convenience

Track energy usage reports, pair with smart devices, and enjoy new features updated automatically.

#### **Full Control**

Adjust temperature, jets, and lights, and lock down your hot tub to prevent usage, whether home or away.

#### Peace of Mind

Smart sensors send automatic alerts to you and your dealer if your hot tub needs attention, such as for power outages, freezing or overheating



"I keep the temp low (96°)
when I'm out of town and just click the
app on the way from the airport and...
voila!
It's 101° when I get home."















J-LX®

Model

J-LXL

Dimensions\*

Electrical

Seats 5-6 Lounge Dimensions\* Inches 91x91x34 Electrical

6-7

Inches 91x91x34 240VAC 60Hz 50A/60A

240VAC 60Hz 50A/60A

Centimeters 231x231x86 230VAC 50Hz 1x32A

Centimeters 231x231x86 230VAC 50Hz 1x32A

Dry Wt. 855 lbs.

(388 kg.)

Total Filled Wt. 4,525 lbs. (2,052 kg.)

Avg Spa Vol. 440 US Gal.

(1,666 L)

Dry Wt. 914 lbs. Total Filled Wt.

4,625 lbs. (2,098 kg.) Avg Spa Vol. 330 US Gal. (1,249 L)

Jets + IR Lights













Jets + IR Lights

(415 kg.)
















#### IR + Red Light Therapy

The FX-IR Seat offers our most advanced hydrotherapy, combining full-back and neck hydromassage with near Infrared and deep Red Light therapy on the lumbar region of the lower back.




#### Full-featured Modern Design

The geometric form enhances your outdoor space with crisp lines and dramatic exterior lighting. Once inside, the gentle waterfall takes over your senses to round out a soothing transformational experience.



# **Acrylic Options**





Porcelain

Platinum

# ProFinish® Cabinetry







Modern Hardwood

Smoked Ebony

Brushed Gray

#### Standard Features

Jacuzzi® PowerPro® Jets Specialty Jacuzzi® PowerPro® RX Jets Patent-Pending IR and Red Light Therapy Jets Illuminated Infinity Edge Waterfall 5-Stage Filtration System CLEARRAY® Active Oxygen® System CLEARRAY® On-demand ProStream™ Filtration Pump Floating Propolymer Foundation Energy Efficient with Multi-Layer Insulation ProFinish® Cabinetry Tool-Free Cabinetry ProLast™ Cover in Black Quick Drain System Sleek, modern styling Premium LED Lighting **Exterior Lights** ProTouch™ Control

#### **Optional Features**

SmartTub® System Compatible ProLast™ Extreme Cover







# J-495™

Seats	Dimensions"	Electrical
8-9	Inches	240VAC 60Hz
	91x110x	50A/60A
	37.5-43.5	
		230VAC 50Hz
	Centimeters	1x32A
	231x279x	
	95-110.5	
Dry Wt.	Total Filled Wt.	Avg Spa Vol.
1,091 lbs.	6,679 lbs.	500 US Gal.
(495 kg.)	(3,030 kg.)	(1,893 L)























J-485<sup>tm</sup>

Model

J-475<sup>™</sup>

Seats 6-7	Dimensions* Inches 91x91x 37.5-43.5  Centimeters 231x231x	240VAC 60Hz 30A/50A/60A 230VAC 50Hz 20A	Seats 6-7 Lounge	Dimensions* Inches 91x91x 37.5-43.5  Centimeters 231x231x
D. MI	95-110.5	(2 breakers required)	D. W.	95-110.5
Dry Wt. <b>916 lbs.</b>	Total Filled Wt. 5,336 lbs.	Avg Spa Vol. 435 US Gal.	Dry Wt. <b>925 lbs.</b>	Total Filled Wt. 5,387 lbs.
(416 kg.)	(2,421 kg.)	(1,647 L)	(419 kg.)	(2,444 kg.)

30A/50A/60A

Electrical 240VAC 60Hz

230VAC 50Hz 20A ntimeters 1x231x (2 breakers 110.5 required)

l Filled Wt. Avg Spa Vol. 440 US Gal. 87 lbs. 144 kg.) (1,666 L)













































J-445<sup>th</sup>

Model

J-435<sup>™</sup>

Seats	Dimensions*	Electrical	Seats	Dimensions*	Electrical
6	Inches	240VAC 60Hz	5-6	Inches	240VAC 60Hz
	84x84x	30A/50A/60A	Lounge	84x84x	30A/50A/60A
	37.5-43.5			37.5-43.5	
		230VAC 50Hz			230VAC 50Hz
	Centimeters	20A		Centimeters	20A
	213.5x213.5x	(2 breakers		213.5x213.5x	(2 breakers
	95-110.5	required)		95-110.5	required)
Dry Wt.	Total Filled Wt.	Avg Spa Vol.	Dry Wt.	Total Filled Wt.	Avg Spa Vol.
855 lbs.	4,525 lbs.	380 US Gal.	822 lbs.	4,492 lbs.	360 US Gal.
(388 kg.)	(2,052 kg.)	(1,438 L)	(373 kg.)	(2,037 kg.)	(1,363 L)































#### **RX Jets**

Feel a powerful, steady rotation that provides full coverage massage to relieve muscle tension primarily in your middle and upper back.

#### High Back and Waterfall

The elevated backlit waterfall cascades water down your neck and back while adding a breathtaking and soothing ambiance.





# **Acrylic Options**





Porcelain

Platinum

Silver Pearl





Monaco

Midnight

# ProFinish® Cabinetry







Modern Hardwood

Smoked Ebony

Brushed Gray

#### Standard Features

Jacuzzi® PowerPro® Jets Specialty Jacuzzi® PowerPro® FX-D, RX and PX Jets Adjustable Headrests Illuminated Waterfall 5-Stage Filtration System CLEARRAY® Active Oxygen System CLEARRAY® On-demand ProStream™ Filtration Pump Floating Propolymer Foundation Energy Efficient with Dual Insulation ProFinish® Cabinetry **Tool-Free Cabinetry** ProLast™ Cover in Black Quick Drain System Distinct High Back Design Premium LED Lighting Illuminated Cup Holders Status Indicator Light **Exterior Lights** ProTouch™ Control

# **Optional Features**

SmartTub® System Compatible
ProLast™ Extreme Cover
SmartSeal™ Insulation
BLUEWAVE® Stereo, Premium Speakers/Amplified Sub-Woofer









J-385<sup>th</sup>

Model

J-375<sup>th</sup>

0		a	L	
6	-	7	7	

Dimensions\* Inches 91x91x37.5 Electrical

240VAC 60Hz

Centimeters 231x231x95 40A/50A/60A

230VAC 50Hz 17A/13A

Lounge

Seats

5-6

Dimensions\*

Inches 91x91x37.5 Electrical 240VAC 60Hz 40A/50A/60A

Centimeters 231x231x95 230VAC 50Hz 17A/13A

Dry Wt.

850 lbs. (386 kg.) Total Filled Wt.

5,771 lbs. (2,618 kg.) Avg Spa Vol.

460 US Gal. (1,741 L)

Dry Wt.

830 lbs. (376 kg.) Total Filled Wt.

5,667 lbs. (2,571 kg.) Avg Spa Vol.

445 US Gal. (1,685 L)



































J-365<sup>™</sup>

Model

J-355™

Seats

Dimensions\*

Electrical

Seats 5-6

Lounge

Dimensions\*

Electrical

6

Inches 84x91x37.5

240VAC 60Hz 40A/50A/60A Inches 84x91x37.5 240VAC 60Hz 40A/50A/60A

Centimeters 213.5x231x95 230VAC 50Hz 17A/13A

Centimeters 213.5x231x95 230VAC 50Hz 17A/13A

Dry Wt.

Total Filled Wt.

Avg Spa Vol.

Dry Wt. 813 lbs.

Total Filled Wt. Avg Spa Vol.

805 lbs. (365 kg.) 4,975 lbs. (2,257 kg.) 395 US Gal. (1,495 L)

4,900 lbs. (369 kg.) (1,855 kg.) 360 US Gal. (1,363 L)































 $J-345^{\text{\tiny TM}}$ 

Model

J-335<sup>™</sup>

,	)	е	a	t:
	_		_	,

Dimensions\* Inches

Electrical

Lounge

Seats

5-6

Dimensions\*

Inches

Electrical

84x84x36

240VAC 60Hz 40A/50A/60A

84x84x36

240VAC 60Hz 40A/50A/60A

Centimeters 213.5x213.5x92

230VAC 50Hz 17A/13A

Centimeters 213.5x213.5x92 230VAC 50Hz 17A/13A

Dry Wt.

777 lbs. (352 kg.) Total Filled Wt.

4,488 lbs. (2,036 kg.) Avg Spa Vol.

345 US Gal. (1,306 L)

Dry Wt.

764 lbs. (347 kg.) Total Filled Wt.

4,684 lbs. (2,125 kg.) Avg Spa Vol.

350 US Gal. (1,325 L)

































J-325<sup>TM</sup>

Model

Seats

2-3

Lounge

J-315<sup>TM</sup>

Seats 4-5 Dimensions\* Inches 84x76x33.5 Electrical 120VAC 15A

13A/10A

Dimensions\*
Inches
66x76x31.75

Electrical 120VAC 15A

**(1)** 

Centimeters 213.5x193x85

240VAC 60Hz 30/40A 230VAC 50Hz

Centimeters 168x193x80.65

240VAC 60Hz 30/40A 230VAC 50Hz 13A/10A

120V

Dry Wt. 619 lbs. (281 kg.) Total Filled Wt. 4,372 lbs. (1,983 kg.)

Avg Spa Vol. 335 US Gal. (1,268 L) 120V

Dry Wt. 531 lbs. (241 kg.) Total Filled Wt.

2,866 lbs. (1,300 kg.)

Avg Spa Vol. 210 US Gal. (795 L)

Jets























### Jacuzzi® PowerPro® Jets

Minimize tension as you maximize propulsion. Up to eight Jacuzzi® PowerPro® Jet varieties deliver a superior hydromassage.



### Hydrosoothe® Pillow

Lay back and enjoy a relaxing head and neck massage while the pillow releases an endless cascade of water over your neck and shoulders without splashing or spraying water.



### **Acrylic Options**





Porcelain

Platinum

Silver Pearl





Monaco

Midnight

# ProFinish® Cabinetry







Modern Hardwood

Smoked Ebony

**Brushed Gray** 

#### Standard Features

Jacuzzi® PowerPro® Jets
Specialty Jacuzzi® PowerPro® BX and FX-L Jets
HydroSoothe® Massage Pillow
Illuminated Waterfall
4-Stage Filtration System
CLEARRAY® Active Oxygen® System
CLEARRAY® On-demand
ProStream™ Filtration Pump
Floating Proplymer Foundation
ProFinish® Cabinetry
Tool-Free Cabinetry
ProLast™ Cover in Black
ProLite™ LED Lighting
Illuminated Cup Holders
Illuminated Control Panel

# **Optional Features**

SmartTub® System Compatible
ProClarity® Polishing Filter
ProLast™ Extreme Cover
SmartSeal™ Insulation
BLUEWAVE® Stereo, Premium Speakers/Amplified Sub-Woofer









J-285<sup>™</sup>

J-275™

Seats	Dimensions*	Electrical	Seats	Dimensions*	Electrical
6-7	Inches	240VAC 60Hz	6	Inches	240VAC 60Hz
	89x89x36	40A/50A/60A	Lounge	89x89x36	40A/50A/60A
	Centimeters 226x226x91	230VAC 50Hz 20A/30A/40A		Centimeters 226x226x91	230VAC 50Hz 20A/30A/40A
Dry Wt. 777 lbs.	Total Filled Wt. 4,905 lbs.	Avg Spa Vol. 365 US Gal.	Dry Wt. <b>774 lbs.</b>	Total Filled Wt. 4,861 lbs.	Avg Spa Vol. 360 US Gal.
(352 kg.)	(2,225 kg.)	(1,382 L)	(351 kg.)	(2,205 kg.)	(1,363 L)

Jets 42





J-245™

Model J-235™

Seats	Dimensions*	Electrical	Seats	Dimensions*	Electrical
6-7	Inches	240VAC 60Hz	6	Inches	240VAC 60Hz
	84x84x36	40A/50A/60A	Lounge	84x84x36	40A/50A/60A
	Centimeters 213x213x91	230VAC 50Hz 20A/30A/40A		Centimeters 213x213x91	230VAC 50Hz 20A/30A/40A
Dry Wt. 717 lbs. (325 kg.)	Total Filled Wt. 4,345 lbs. (1,971 kg.)	Avg Spa Vol. 320 US Gal. (1,211 L)	Dry Wt. 726 lbs. (329 kg.)	Total Filled Wt. 4,229 lbs. (1,918 kg.)	Avg Spa Vol. 305 US Gal. (1,155 L)
(323 kg.)	(1,011 kg.)	(I,ZII L)	(323 kg.)	(1,510 kg.)	(1,100 L)

Jets 36

Jets 34

47





J-225<sup>™</sup>

Model

J-215<sup>™</sup>

Seats 4-5	Dimensions* Inches 80x80x33	Electrical 120VAC 60Hz 15A or
120V	Centimeters 203x203x84	240VAC 60Hz 30A/40A 230VAC 50Hz 20A/30A
Dry Wt. 619 lbs. (281 kg.)	Total Filled Wt. 3,805 lbs. (1,726 kg.)	Avg Spa Vol. 280 US Gal. (1,060 L)

Electrical
120VAC 60Hz
15A
or
240VAC 60Hz
30A/40A
230VAC 50Hz
20A/30A
Avg Spa Vol.
205 US Gal.
(776 L)

Jets 26

# **Tool-Free Cabinetry**

Distinctive styling. Durable construction. With integrated exterior LED lighting and tool-free access for ease of use.

### **Backlit Headrest**

Add visual flair at the touch of a button when you activate the multi-colored LED backlit headrests.





# **Acrylic Options**





Porcelain

Platinum

Silver Pearl





Monaco

Midnight

### Cabinetry





Charcoal

Smoke

# Standard Features

Proprietary Jets with Stainless Steel Accent
Comfortable Backlit Headrests
3-Stage Filtration System
CLEARRAY® UV-C System
Patented ProClassic™ 50 sq ft Filter with ProCatch™ Filter Bag
Tool-Free Cabinetry
Multi-Colored LED Lighting
Exterior Lighting
Built-In Drink Holders
ProLast™ Cover in Black

### **Optional Features**

SmartTub® System Compatible ProLast™ Extreme Cover

# This is what you've been waiting for

Standard

Optional

We've worked hard to make choosing your new hot tub easy, by offering a line of spas for every backyard style and budget. No matter what collection you decide on, our focus on quality and design will ensure you enjoy your hot tub for years to come.

	J-LX® Collection	J-400™ Collection	J-300™ Collection	J-200™ Collection
IR + Red Light Therapy				
Jacuzzi® PowerPro® Jets				
Individual Seat Air Control				
Illuminated Waterfall				
Headrests				
5-Stage ProClarity® Filtration System				
ProClear® Filter				
CLEARRAY Active Oxygen® + CLEARRAY® On-demand				
ProStream™ Filtration Pump				
Propolymer Foundation				
SmartSeal™ Insulation				
Tool-Free Cabinetry				
Interior Lighting				
Exterior Lighting				
Drink Holders				
ProLast <sup>™</sup> Cover				
Touch Screen Controls				
SmartTub® System				
BLUEWAVE® Stereo				
Warranty Coverage (Years)				
Shell Structure Shell Surface Equipment, Controls & Plumbing Cabinet	10 7 5 5	10 7 5 5	10 7 5 5	5 3 3 1





Feel yourself transformed

Immerse yourself in the experience that made us a household name.

Feel a weight lift at the mere thought of warm, bubbling water.

Let stress wash away as you step in.
Emerge rejuvenated to take on the day.
And let the long-lasting refreshing energy transform your body and mind.



From the beginning, Jacuzzi has been committed to building a better world through healing and transformation. To that end, we have established high-level commitments that support our vision of promoting lifelong well-being through sustainable innovation.

Jacuzzi® **Annual Report** 











Jacuzzi.com 17872 Gillette Ave. #300 Irvine CA 92614

©2023 Jacuzzi Hot Tubs. All rights reserved. Jacuzzi® is a registered trademark of Jacuzzi Inc. used with permission. All other brands, product names, company names, trade names, trademarks and service marks used are the property of their respective owners. Jacuzzi Hot Tubs may make product modifications and enhancements. Specifications may change without notice. International products may be configured differently to meet local electrical requirements. Dimensions are approximate. Manufactured under one or more United States patent numbers. Other patents may apply.















